



2023

Product Spectrum



MOVE BEYOND ORDINARY

Pen Style Pod Mid Range Advanced

We have a full range of
products fit for all levels
of vapers!

Check our website for the
full updated list

www.vapresso.com

NEW

ARMOUR MAX|S

THE ARMOUR, THE FEARLESS



- **Armoured Protection**
- **Uni-Lock Secure Your Power**
- **COREX to Boost Flavor**
- **AXON to Boost Power**
- **18650 / 21700 Duo Compatibility**

ARMOUR MAX

Dimensions: 157 x 56.5 x 34mm

TANK Capacity: 8ml

Coil Resistance:

GTi 0.2Ω MESH Coil(60-75W)

GTi 0.4Ω MESH Coil(50-60W)

Battery Capacity:

2 x 21700 or 18650 Battery(Not Included)

Output Power: 5-220W

Charging Current: DC 5V/2A, Type-C

Display: 0.96" TFT Screen



BLACK

GREEN

SILVER

YELLOW

ORANGE

ARMOUR S

Dimensions: 154.8 x 41.9 x 36mm

TANK Capacity: 5ml

Coil Resistance:

GTi 0.2Ω MESH Coil(60-75W)

GTi 0.4Ω MESH Coil(50-60W)

Battery Capacity:

1 x 21700 or 18650 Battery(Not Included)

Output Power: 5-100W

Charging Current: DC 5V/2A, Type-C

Display: 0.96" TFT Screen



BLACK

GREEN

SILVER

YELLOW

ORANGE



ECO NANO

MORE THAN 13000 PUFFS

- **6ml Long Lasting Pod Capacity**
- **1000mAh Long Lasting Battery**
- **Anti Leaking, Anti Messing**
- **Accurate Flavor, Lasting Longer**



ECO NANO

Dimensions: $\Phi 44.7 \times 18 \times 77 \text{mm}$

POD Capacity: 6ml

Pod Resistance: $0.8\Omega / 1.2\Omega$

Battery Capacity: 1000mAh

Charging: Type-C, 1A



VAPORESSO COSS

CONVENIENT
OPERATING
SMART
SUPPLYING



- **Intuitive Vape Stick**
- **Auto Refill & Auto Charge**
- **Long Lasting Battery & Liquid Capacity**
- **Vacuum Seal System**
- **Coil-oil Separation System**

VAPORESSO COSS

Size: 245x 51x 10 mm

weight: 185g

VAPORESSO COSS STICK

Size: 17 x9x93.5 mm

Pod Capacity: 0.6 ml

Resistance:1.2Ω

Battery Capacity: 250mAh

Voltage: 3.3V-4.3V

Power:9w

VAPORESSO COSS HUB

Size: 24.5x51x 110 mm

Battery Capacity: 1500mAh

Capsule Capacity: 7.5ml

Charging: Type-C.2A

Output Voltage: 5V/Max current 800mA



BLACK

SPACE
GREY

MIDNIGHT
GREEN

SIERRA
BLUE

VIVA
RED



VECO GO

BIG CAPACITY LONG LIFE

- **1500mAh Built-In Long Lasting Battery Capacity**
- **5ML Pod-Long Lasting Liquid Capacity**
- **COREX Heating Tech-Accurate Flavor, Lasting 50% Longer**
- **SSS Tech-Anti Leaking, Anti Messing**
- **Magnetic Pod-Precise Airflow Adjustment**
- **Slim Design-Compact And Comfortable**

VECO GO

Dimensions: $\Phi 23.4 \times 112.5\text{mm}$

POD Capacity: 5ml

Pod Resistance: $0.6\Omega / 0.8\Omega$

Battery Capacity: 1500mAh

Output Power: 25W MAX

Charging Current: DC 5V/2A, Type-C



NEW



Real Pro-level 40W Pod Mod

LUXE X PRO

- **Adjustable Wattage & Airflow**
- **Draw & Button Activation**
- **All LUXE X Family Compatible**

LUXE X PRO

Dimensions: 99.1 x 32 x 23.4mm

POD Capacity: 5ml/2ml(TPD)

Compatible POD/COIL: LUXE X SERIES POD/GTX COIL

Battery Capacity: 1500mAh

Output Power: 40W

Charging Current: DC 5V/1.5A,Type-C

Display: 0.42" OLED Screen



LUXE X PRO



LUXE XR[®] MAX

SMALL IN SIZE, MIGHTY IN POWER

- **2800mAh Ultra High Density Battery**
- **MAX 80W**
- **SSS Tech**
- **COREX Heating Tech**
- **GTX Coil Platform**

LUXE XR MAX

Dimensions: 106.5 x 32.1 x 26 mm

POD Capacity: 5ml/2ml(TPD)

Pod And Coil Resistance:

LUXE XR POD (DTL)

LUXE XR POD (RDL)

GTX 0.2 Ω MESH COIL

GTX 0.4 Ω MESH COIL

Battery Capacity: 2800mAh

Output Power: 80W MAX

Charging Current: DC 5V/2A, Type-C

Display: 0.54" OLED Screen, 2 * RGB LED Light



LUXE XR MAX

LUXE XR[®]

SEEING THE FUTURE



- **Accurate Flavor Lasting Longer with COREX Heating Tech**
- **0.4 Ω MESH & 0.8 Ω MESH POD For Both DTL and MTL**
- **SSS Leak Resistant Technology**
- **1500mAh High Density Battery**
- **GTX Coil Platform**

LUXE XR

Dimensions: 98 x 31.5 x 21.6 mm

POD Capacity: 5ml/2ml (TPD)

Coil Resistance:

GTX 0.4 Ω MESH COIL

GTX 0.8 Ω MESH COIL

Battery Capacity: 1500mAh

Output Power: 40W

Charging Current: DC 5V/1.5A, Type-C

Display: 3 x LED Light

Coil Compatibility: GTX 0.4 Ω /0.6 Ω /0.8 Ω /1.2 Ω



BLACK

SILVER

PINK

GOLD

GALAXY
RED

GALAXY
BLUE

GALAXY
PURPLE

LUXE X

SEEING THE FUTURE



- Accurate Flavor Lasting Longer with COREX Heating Tech
- 0.4 Ω MESH & 0.8 Ω MESH POD For Both DTL and MTL
- SSS Leak Resistant Technology
- 1500mAh High Density Battery



LUXE X

Dimensions: 98 x 21.5 x 21.6 mm

TANK Capacity: 5ml/2ml(TPD)

Coil Resistance:

LUXE X 0.4 Ω MESH POD(32W)

LUXE X 0.8 Ω MESH POD(16W)

Battery Capacity: 1500mAh

Output Power: 40W

Charging Current: DC 5V/1.5A, Type-C



BLACK

SILVER

GREY

BLUE

GREEN

PURPLE

RED

LUXE X POD

SEEING THE FUTURE

- **Flavor Boosting Technology**
- **MTL&RDL&DTL POD**
- **LUXE XR EMPTY PODS compatible with all GTX coils**



LUXE X 0.4Ω MESH POD



LUXE X 0.6Ω MESH POD



LUXE X 0.8Ω MESH POD



LUXE XR EMPTY POD
(DTL)



0.15Ω
MESH



0.2Ω
MESH



0.3Ω
MESH



0.4Ω
MESH



0.6Ω
MESH



LUXE XR EMPTY POD
(MTL)



0.8Ω
MESH




1.2Ω
REGULAR



1.2Ω
MESH




0.6Ω
MESH



XROS 3 NANO

CROSS THE LIMITS



- **COREX Heating Tech-Accurate Flavor, Lasting Longer**
- **PULSE MODE By AXON CHIP-Power Boosting**
- **SSS Tech-Anti Leaking, Anti Messing**
- **New 0.6 RDL Pod-All XROS Pods Compatible**
- **1000 High Density Battery**

XROS 3 NANO

Dimensions: 14 x 51.2x 69.9 mm

Pod Capacity: 2ml

Resistance: 0.6Ω/0.8Ω

Battery Capacity: 1000mAh

Charging: Type-C, 1A



JELLY
LIME

CHROMA
CHAOS

X
SMIRK

VITAMIN
ORANGE

THORN
ROSE

SEA
FOAM

BONDI
BLUE

VITAL
ORANGE

LEMON
YELLOW

LILAC
PURPLE

ROSE
PINK

MAGENTA
RED

OLIVE
GREEN

NAVY
BLUE

BLACK

SILVER

XROS 3 NANO

XROS 3 MINI

CROSS THE LIMITS AGAIN



- **COREX Heating Tech - Accurate Flavor, Lasting Longer**
- **SSS Tech - Anti Leaking, Anti Messing**
- **New 0.6 RDL Pod - All XROS Pods Compatible**
- **1000 High Density Battery**

XROS 3 MINI


Dimensions: 99.2*23.6*13.8mm

Pod Capacity: 2ml

Pod Resistance: 0.6Ω /1.0Ω

Battery Capacity: 1000mAh

Charging: DC 5V/1A, Type-C



LEMON
YELLOW

LILAC
PURPLE

AQUA
GREEN

BLACK

NAVY
BLUE

SPACE
GREY

ICY
SILVER

SKY
BLUE

ROSE
PINK

MINT
GREEN

ROYAL
GOLD

XROS 3 MINI

XROS 3

CROSS THE LIMITS AGAIN



- **COREX Heating Tech - Accurate Flavor, Lasting Longer**
- **PULSE MODE By AXON CHIP - Power Boosting**
- **SSS Tech - Anti Leaking, Anti Messing**
- **New 0.6 RDL Pod - All XROS Pods Compatible**
- **1000 High Density Battery**

XROS 3

Dimensions: 13.7x23.6x115.1mm

Pod Capacity: 2ml

Resistance: 0.6Ω/1.0Ω

Battery Capacity: 1000mAh

Charging: Type-C, 1A

Display: Neon Light



PEACH
PINK

FRESH
GREEN

ICE
BLUE

BLACK

NAVY
BLUE

SPACE
GREY

ICY
SILVER

ROYAL
GOLD

SKY
BLUE

ROSE
PINK

MINT
GREEN

XROS NANO

CROSS THE LIMITS



- **XROS Pod Full Compatibility**
- **Pulse Mode powered by AXON Chip**
- **Accurate Airflow Control**
- **SSS Leak-Resistant Technology**
- **Tiding Battery Indicator**
- **Clamshell Top Filling**

XROS NANO

Dimensions: 14.9x48.8x63.1mm

Pod Capacity: 2ml/3ml

Pod Resistance: 0.7 Ω /0.8 Ω /1.2 Ω XROS POD

Battery Capacity: 1000mAh

Charging: Type-C, 1A




XROS NANO



XROS MINI

CROSS THE LIMITS



- **XROS Pod Full Compatibility**
- **SSS Leak-Resistant Technology**
- **Clamshell Top Filling**

XROS MINI

Dimensions: 14.9x48.8x63.1mm

Pod Capacity: 2ml

Pod Resistance: 0.8 Ω /1.2 Ω XROS POD

Battery Capacity: 1000mAh

Charging: Type-C, 1A



XROS MINI

XROS 2

CROSS THE LIMITS



- **Water Drop Air Inlet**
- **Dual Activation Mode**
- **1000 mAh Built-in Battery**
- **Tiding Battery Indicator**
- **SSS Leak-Resistant Technology**

XROS 2

Pod Capacity: 2ml

Battery : 1000mAh Built-in Battery

Charge Current: Type-C, 5V/1A

Output Power: 11W/16W

Adjustable Airflow Yes

Pods: 1.2Ω Pod

0.8Ω MESH Pod



BLACK

SPACE
GREY

SILVER

ORANGE
RED

LIME
GREEN

GRAPE
PURPLE

MIDNIGHT
BLUE

FOREST
GREEN

CHERRY
RED

SAKURA
PINK

SIERRA
BLUE

GOLD

VIOLET

VITALITY


NEON

AURORA



XROS POD

Cross The Limits



- SSS Leak-Resistant Technology
- Clamshell Top Filling
- PCTG Material

3ML

Side Filling




0.6 Ω
MESH
BEST:21W

0.7 Ω
MESH
BEST:18W

0.8 Ω
MESH
BEST:16W

2ML

Top Filling



0.6 Ω
MESH
BEST:21W

0.8 Ω
MESH
BEST:16W

1.0 Ω
MESH
BEST:13W

1.2 Ω
MESH
BEST:10W

ZERO S

START FROM ZERO



- **ZERO POD Compatible**
- **Easy Filling**
- **Flavor Boosted**
- **SSS Leak-Resistant Technology**

ZERO S

Dimensions: 84.9*31.4*13.mm

Pod Capacity: 2ml

Resistance: 1.2Ω

Battery Capacity: 650mAh

Charging: Type-C, 1A



ZERO S

ZERO 2

START FROM ZERO



- CCELL POD
- MESH POD
- Full Compatibility
- Top Filling System
- SSS Leak Resistant Technology
- Futuristic Design

ZERO 2

Pod Capacity: 2ml

Pod: ZERO S 1.0Ω Pod

Battery: 800mAh Built-in

Filling System: Top Filling

Battery Display: Dynamic Tidal Light



BLACK

CARBON
FIBER

BLACK
GREEN

BLACK
RED

BLACK
BLUE

BLACK
PURPLE

SUNSET

NEON

ZERO 2



ZERO

A New Beginning

- **PTFTM System**
 - **Extremely Easy Filling Leakage Proof**
- **Quick Charging - 650mAh/45min**
- **OMNI Board Mini**
 - **Auto Temperature Control**
 - **Multiple protections**
- **CCELL Coil Built-in - More Flavorful**
- **PCTG POD - Healthier Vaping**

ZERO

Dimensions: 31x13.5x80.2mm

Pod Capacity: 2ml

Resistance: 1.3Ω(CCELL) / 1.0Ω(MESH)

Power Range: 9-12.5W (Adjustable)

Battery: 650mAh Built-in

Charging Current: 1A



ZERO POD



- All ZERO POD Compatible
- Easy Filling
- Flavor Boosted
- SSS Leak-Resistant Technology




1.0Ω
Capacity 2ml
Best Wattage 12W
Top Filling



1.2Ω
Capacity 2ml
Best Wattage 10W
Top Filling

OSMALL 2

It's OSMALL 2



- **High Nicotine Satisfaction**
- **SSS Leak-Resistant Technology**
- **OSMALL Pod Compatibility**
- **450mAh Long Lasting Battery**

OSMALL 2

Dimensions: 86.8*26.5*13.5mm

POD Capacity: 2ml

Resistance: 1.2Ω

Battery Capacity: 450mAh

Charging Current: Type-C, 5V/0.5A



BLACK

GREY

SILVER

GOLD

GREEN

BLUE

PINK

OSMALL 2

NEW

LUXE Q2

Quality Touch, Quality Vape





- **Precise Airflow Adjustment**
- **2A Rapid Charging 1000mAh Battery**
- **Accurate Flavor Lasting Longer By COREX**
- **Deluxe Leather**
- **LUXE Q MESH Pod Compatibility**

LUXE Q2

Dimensions: 96.8*26*18.6mm

Pod Capacity: 3ml/2ml(TPD)

Resistance: 0.6 Ω /1.0 Ω

Battery Capacity: 1000mAh

Charging: Type-C, 2A



ORANGE

BLACK

BLUE

GREY


GREEN

LUXE Q2

NEW

LUXE Q2 SE

An Effortlessly Operable MTL Pod For Starters



- **1000mAh High Density Battery**
- **LUXE Q MESH Pod Compatibility**
- **Accurate Flavor Lasting Longer By COREX**
- **SSS Tech Anti-Leaking**
- **Super Easy To Operate**

LUXE Q2 SE

Dimensions: 96.7*27.4*17.5mm

Pod Capacity: 3ml/2ml(TPD)

Resistance: 0.8Ω

Battery Capacity: 1000mAh

Charging: Type-C, 1A





LUXE QS

Cute But Strong

- **Accurate Flavor Lasting Longer**
- **SSS Tech Anti-Leaking**
- **0.6 Ω MESH Pod Perfect for RDTL**
- **1000mAh High Density Battery**

LUXE QS

Dimensions: 16.5x26x91.9mm

Pod Capacity: 2ml

Resistance: 0.6 Ω /1.0 Ω


Battery Capacity: 1000mAh

Charging: Type-C, 1A



CUTE YET **POWERFUL** MONSTER

LUXE Q



- Pioneer Texture on Small Pods
- 1000mAh Built-in Battery
- Adjustable Airflow
- Top Filling System
- SSS Leak-Resistant Technology

LUXE Q

Dimensions: 26x16.5x91.85mm

Pod Capacity: 2ml

Battery : 1000mAh Built-in Battery

Charge Current: Type-C, 5V/1A

Pods: 0.8 Ω MESH Pod

1.2 Ω MESH Pod



GREEN

BLACK

BLUE

BROWN

WHITE

RED

PINK

GEN FIT

Start Vaping Simply



- **MTX Coil**
- **1200mAh Battery**
- **PULSE Mode**
- **Draw & Button Activated**
- **Anti-breakage**

GEN FIT

Dimensions: 138.5 x 44 x 29 mm

TANK Capacity: 3ml/2ml(TPD)

Coil Resistance: MTX 1.2 Ω Coil (8-12W)

Battery Capacity: 1 x 1200mAH Battery(Built-in)

Output Power: 5-20W

Charging Current: DC 5V/1A, Type-C



MIDNIGHT
BLACK

SPACE
GREY

PRUSSIAN
BLUE

ROSE
GOLD

SIERRA
BLUE

TAFFY
PINK



THE ONE AND ONLY FLAVOR
GTX ONE



- GTX Coils Flavor Producer
- Adjustable Airflow & Power
- 2000mAh / 2A Type-C
- 0.69" OLED Screen
- Compact Design
- Scratch-free Cover

GTX ONE

Tank Capacity: 3ml/2ml

Display: 0.69" OLED

Battery Capacity: 2000mAh Built-in Battery

Power Range: 5-40W

Charge Current: 2A, Type-C

Coils: GTX 0.8Ω MESH Coil (12-20W)

GTX 1.2Ω MESH Coil (7-11W)



MATTE
GREY

MIDNIGHT
BLUE

LIME
GREEN

TAFFY
RED

BLACK

SILVER

RED

BLUE

GREEN

PINK



FORMULATED SIMPLICITY

GTX GO 80|40

- **Top Filling System**
- **Magnetic Pod with Precise Airflow Adjustment**
- **Highly Compatible for GTX Coils**
- **SSS Leak-Resistance Technology**
- **Type-C Quick Charge**

GTX GO 80

Dimension: 26 x 133.2 mm

Tank Capacity: 5ml / 2ml

Battery: 3000mAh Built-in Battery

Output Power: 80W Max

GTX GO 40

Dimension: 22 x 110.3mm

Tank Capacity: 3.5ml / 2ml

Battery: 1500mAh Built-in Battery

Output Power: 40W Max



BLUE

BLACK

RED

**MATTE
GREY**

RAINBOW

Sky Solo|Plus



- **Simple AIO system**
- **GT Meshed**
- **Top Fill System**
- **1400(3000)mAh Built In Battery**

Sky Solo

Dimension: 26mm*103mm

Tank Capacity: 3.5ml/2ml

Battery: 1400mAh Built-in Battery

Output Power: 40W

Coil: 2 x GT MESHED Coil 0.18Ω

Sky Solo Plus

Dimension: 30mm*130mm

Tank Capacity: 8ml/2ml

Battery: 1400mAh Built-in Battery

Output Power: 80W

Coil: 2 x GT MESHED Coil 0.18Ω



GEN PT60|80S

Beat The Tank



- **SSS Leak-Resistant Technology**
- **Top Airflow&Top Filling**
- **COREX INSIDE**
- **Fully Compatible With GTX coils**

GEN PT 60

Dimensions: 112 x 35 x 28 mm

TANK Capacity: 4.5ml/2ml(TPD)

Output Power: 5-60W

Battery Capacity: 2500mAh Built in

Charging Current: DC 5V/2A, Type-C

GEN PT80S

Dimensions: 132 x 30 x 29 mm

TANK Capacity: 4.5ml/2ml(TPD)

Battery Capacity: 1 x 18650 Battery(Not Included)

Charging Current: DC 5V/2A, Type-C



**DARK
BLACK**

**MATTE
GREY**

**LIGHT
SILVER**

AEGEAN BLUE

**ALPINE
GREEN**

**EARTH
BROWN**

xTank

Beat The Tank



- **SSS Leak-Resistant Technology**
- **Top Airflow&Top Filling**
- **Fully Compatible With GTX coils**

xTank

POD Capacity: 4.5ml/2ml (TPD)

Dimension: 43.9*26.8

Coil: All GTX Coil Compatible



BLACK

SILVER



GEN 200|80S

It's Your GEN



- **Ultra-light**
- **AXON CHIP inside**
- **Innovative iTank**
- **New GTi Coil Platform**
- **Top Filling**

GEN 200

Dimensions: 138.5 x 44 x 29 mm

TANK Capacity: 8ml/2ml(TPD)

Battery Capacity: 2 x 18650 Battery(Not Included)

Output Power: 5-220W

Charging Current: DC 5V/2A, Type-C

GEN 80S

Dimensions: 140.5 x 34 x 25.5 mm

TANK Capacity: 5ml/2ml(TPD)

Battery Capacity: 1 x 18650 Battery(Not Included)

Output Power: 5-80W

Charging Current: DC 5V/2A, Type-C

GEN 200



DARK
BLACK

MATTE
GREY

LIGHT
SILVER

AEGEAN BLUE

ALPINE
GREEN

EARTH
BROWN

GEN 80S



DARK
BLACK

MATTE
GREY

LIGHT
SILVER

AEGEAN BLUE

ALPINE
GREEN


EARTH
BROWN



GEN 200|80S

iTank2 Version

It's Your GEN



- **Ultra-light**
- **AXON CHIP inside**
- **Innovative iTank**
- **New GTi Coil Platform**
- **Top Filling**

GEN 200

Dimensions: 138.5 x 44 x 29 mm

TANK Capacity: 8ml/2ml(TPD)

Battery Capacity: 2 x 18650 Battery(Not Included)

Output Power: 5-220W

Charging Current: DC 5V/2A, Type-C

GEN 80S

Dimensions: 140.5 x 34 x 25.5 mm

TANK Capacity: 5ml/2ml(TPD)

Battery Capacity: 1 x 18650 Battery(Not Included)

Output Power: 5-80W

Charging Current: DC 5V/2A, Type-C

GEN 200



BLACK SILVER BLUE BROWN NEON ORANGE SKY BLUE NEON PURPLE

GEN 80S



BLACK SILVER BLUE BROWN NEON ORANGE SKY BLUE NEON PURPLE

TARGET 100|80

iTank2 Version

Go Wild



- **Durable yet Compact**
- **Water-resistant Braid**
- **Innovative iTank**
- **New GTi Coil Platform**
- **Top Filling**
- **AXON CHIP Inside**

TARGET 100

Tank Capacity: 5ml/2ml

Battery: 1 x 21700/18650 Battery(Not Included)

Power Range: 5-100W

Display: 0.96" TFT Screen

Coils: GTi 0.2 Ω MESH Coil(60-75W)

GTi 0.4 Ω MESH Coil(50-60W)

TARGET 80

Tank Capacity: 5ml/2ml

Display: 0.96" TFT Screen

Battery Capacity: 3000mAh Built-in Battery

Power Range: 5-80W

Charge Current: DC 5V/2A, Type-C

Coils: GTi 0.2 Ω MESH Coil(60-75W)

GTi 0.4 Ω MESH Coil(50-60W)

TARGET 100



SHADOW
BLACK

CREAMY
PINK

FIERY
ORANGE

NAVY
BLUE

JADE
GREEN

LEATHER
GREY

TARGET 80



SHADOW
BLACK

CREAMY
PINK

FIERY
ORANGE

NAVY
BLUE

JADE
GREEN

LEATHER
GREY

TARGET 200

iTank2 Version

Go Wild



- **Durable yet Compact**
- **Water-resistant Braid**
- **Innovative iTank**
- **New GTi Coil Platform**
- **Top Filling**
- **AXON CHIP Inside**

TARGET 200

Tank Capacity: 2ml

Battery: 2000mAh Built-in Battery

Power Range: 5-80W

Display: 0.91" OLED Screen

Coils: EUC 0.3Ω MESHED Coil (32-40W)

EUC 0.6Ω MESHED Coil (20-30W)



SHADOW
BLACK

CREAMY
PINK

FIERY
ORANGE

NAVY
BLUE

JADE
GREEN

LEATHER
GREY



iTank

INNOVATIVE AND INGENUOUS



- **8ML Larger Capacity**
- **Turbo Airflow System**
- **Liquid Self-Circulation System**
- **New GTi Coil Platform**
- **Top Filling**

iTank

Tank Capacity: 8ml/5ml/2ml

Dimensions: 8ml - 24.5x52.5mm

Coil:

GTi 0.15 Ω 75-90W

GTi 0.2 Ω 60-75W

GTi 0.4 Ω 50-60W

GTi 0.5 Ω 30-40W



GREY



BLACK



SILVER



RAINBOW



iTank 2

INNOVATIVE AND INGENIOUS



- **8ML Larger Capacity**
- **Turbo Airflow System**
- **Liquid Self-Circulation System**
- **New GTi Coil Platform**
- **Top Filling**

iTank2

Tank Capacity: 8ml/5ml/2ml

Dimensions: 8ml - 24.5x52.5mm

Coil:

GTi 0.15 Ω 75-90W

GTi 0.2 Ω 60-75W

GTi 0.4 Ω 50-60W

GTi 0.5 Ω 30-40W



BLACK


GREY

BLUE

SILVER









BROWN

RAINBOW



GTX COILS



0.15Ω MESH	0.2Ω MESH	0.3Ω MESH	0.4Ω MESH	0.6Ω MESH	0.8Ω MESH	1.2Ω REGULAR	1.2Ω MESH
							
60-75W BEST:70W	45-60W BEST:55W	32-45W BEST:40W	26-32W BEST:30W	20-26W BEST:24W	12-16W BEST:16W	8-12W BEST:11W	7-11W BEST: 11W



LUXE XR MAX



LUXE XR



GEN PT60



GEN PT80 S



GEN FIT 40



GEN AIR 40



GTX GO 40



GTX GO 80



GTX ONE



TARGET 80
(POD TANK Edition)



SWAG PX80



LUXE 80



LUXE 80 S



GEN NANO



LUXE PM40



LUXE X PRO

More
Coming
Soon

GTI COILS

0.15Ω MESH	0.2Ω MESH	0.4Ω MESH	0.5Ω MESH
			
75-90W BEST:85W	60-75W BEST:65W	50-60W BEST:55W	50-60W BEST:55W



iTank



GEN 200



GEN 80 S



TARGET 100



TARGET 200



TARGET 80
(iTank Edition)

More
Coming Soon



iTank2



GEN 200



GEN 80 S



TARGET 100



TARGET 200



TARGET 80



ARMOUR MAX




ARMOUR S

More
Coming Soon

SMOORE POWER THAT BACK US

SMOORE is the largest vaping provider in the world



Huge R&D investment creates innovation

Since **2012**, **13** cities



The first medicalgrade factory in the industry



Equipped with highly automatic production Line



13 Industrial parks covering an area more than 600.000 m2

Shenzhen Smoore Technology Limited

Building 16, Dongcai Industrial Park,Gushu Village, Xixiang Town,Bao'an District, Shenzhen, China 518102.Phone

+ 86 75533092888 Ext.8617



To be the First to Hear About Everything

VAPORESSO

Follow us on Instagram

vapresso_global



For Further Information,

Please go to our

Website!

www.vapresso.com



VAPORESSO QR code



Dealer QR code

MOVE BEYOND ORDINARY



0 694349 616017